Brian Sandoval *Governor*



Richard Whitley

Director

State of Nevada

Department of Health and Human Services Office of Analytics

Behavioral Health Data Rural Counties: Carson City, Churchill, Douglas, Lyon, Mineral, & Storey Counties

> Kyra Morgan, MS State Biostatistician

Jen Thompson Health Program Specialist II




Office of Analytics

- Est. November, 2017
- Goal: To move from an analytic culture centered on required reporting and reactionary analytics, to an analytic culture of proactive analytics which drive policy and decision making across DHHS.
- Comprised of 30 analysts, biostatisticians, and heath economists

Office of Analytics


- Providing analytical support to:
 - Division of Public and Behavioral Health
 - Division of Healthcare Finance and Policy
 - Division of Child and Family Services
 - Division of Aging and Disability Services
 - Division of Welfare and Supportive Services
 - Community Partners, University Researchers, Coalitions, Media, Public, etc.
 - Helpdesk: data@dhhs.nv.gov

Office of Analytics




Behavioral Health Data – State Facilities

Rural Counties Most Common Primary Diagnosis, 2010-2016.




Behavioral Health Data – State Facilities

Rural Counties Residents who Access Mental and Behavioral Health Clinics by City of Residence, 2010-2016.



Behavioral Health Data – ER

Rural Counties Emergency Room Visits for Select Mental Health Disorders, 2009-2014.



The following ICD-9 codes were used for analysis of mental disorders:

Anxiety: 300.0 Depression: 296.20-296.36, 311

ler: 296.40-296.89 PTSD: 309.81


Bipolar Disorder: 296.40-296.89 Schizophrenia: 295 and V11.0

Suicidal Tendencies: 300.90

Suicidal Ideation: V62.84.

Behavioral Health Data – IP

Rural Counties Inpatient Admissions for Select Mental Health Disorders, 2009-2014.



The following ICD-9 codes were used for analysis of mental disorders:

Anxiety: 300.0

Depression: 296.20-296.36, 311

Bipolar Disorder: 296.40-296.89

PTSD: 309.81

Schizophrenia: 295 and V11.0

Suicidal Tendencies: 300.90

Suicidal Ideation: V62.84.

Behavioral Health Data – ER

Rural Counties Emergency Room Visits for Alcohol- and Substance-Related Diagnoses, 2009-2014.

The following ICD-9 codes were used for analysis of alcohol-related admissions:

Alcohol-Induced Mental Disorders: 291
Alcohol Dependence Syndrome: 303
Nondependent Alcohol Abuse: 305.0
Alcoholic Polyneuropathy: 357.5
Alcoholic Cardiomyopathy: 425.5


Alcohol Gastritis: 535.3

Chronic Liver Disease (Alcohol Related): 571.0-571.3

Excessive Blood Level of Alcohol: 790.3

Toxic Effect of Alcohol: 980

Accidental Poisoning by Alcohol: E860.



The following ICD-9 codes were used for analysis of substance-related admissions:

Drug-Induced Mental Disorders: 292

Nondependent Abuse of Drugs: 305.2-305.9 Poisoning by Sedatives and Hypnotics: 967

Poisoning by Psychotropic Agents: 969

Drug Dependence: 304

Poisoning by Analgesics Antipyretics and Antirheumatics: 965 Poisoning by Other CNS Depressants and Anesthetics: 968 Poisoning by Central Nervous System Stimulants: 970

Behavioral Health Data – IP

Rural Counties Inpatient Admissions for Alcohol- and Substance-Related Diagnoses, 2009-2014.

The following ICD-9 codes were used for analysis of alcohol-related admissions:

Alcohol-Induced Mental Disorders: 291
Alcohol Dependence Syndrome: 303
Nondependent Alcohol Abuse: 305.0
Alcoholic Polyneuropathy: 357.5
Alcoholic Cardiomyopathy: 425.5


Alcohol Gastritis: 535.3

Chronic Liver Disease (Alcohol Related): 571.0-571.3

Excessive Blood Level of Alcohol: 790.3

Toxic Effect of Alcohol: 980

Accidental Poisoning by Alcohol: E860.



The following ICD-9 codes were used for analysis of substance-related admissions:

Drug-Induced Mental Disorders: 292

Nondependent Abuse of Drugs: 305.2-305.9 Poisoning by Sedatives and Hypnotics: 967


Poisoning by Psychotropic Agents: 969

Drug Dependence: 304

Poisoning by Analgesics Antipyretics and Antirheumatics: 965 Poisoning by Other CNS Depressants and Anesthetics: 968 Poisoning by Central Nervous System Stimulants: 970

Behavioral Health Data – Deaths

Rural Counties Mental Health and Substance-Related Deaths, 2009-2016.




^{*} Data are preliminary and are subject to changes.

The following ICD-10 codes were used to define Mental Health Related Deaths: F00-F99.

The following ICD-10 codes were used to define Substance-Related Deaths: G312, G621, I426, G721, K292, K70, K860, R78, Y90, Y91, X40-X49, T36-T60, T65, F10, X60-X69, E244, K852, O354, Y10-Y19, P043, Q860, Z721, Z722, R781-R786, F11-F16, F18, X85-X90, O355, D521, P961, T96-T97, Y40-Y59, K711, N141, P044.

Behavioral Health Data – ER and IP

Rural Counties Opioid-Related Hospitalizations by Quarter, 2009-2016.



The following ICD Codes are included in these data:

Opioid Related Disorders (All Diagnosis)

304.0 Opioid type dependence ICD-9-CM

304.7 Combinations of opioid type drug with any other drug ICD-9-CM

305.5 Nondependent opioid abuse ICD-9-CM

F11 Opioid related disorders ICD-10-CM

Opiate Poisoning (Principal Diagnosis)

965.0 Poisoning by opiates and related narcotics ICD-9-CM

T40.0 Poisoning by opium ICD-10-CM

T40.1 Poisoning by heroin ICD-10-CM

T40.2 Poisoning by other opioids ICD-10-CM

T40.3 Poisoning by methadone ICD-10-CM

T40.4 Poisoning by other synthetic narcotics ICD-10-CM


T40.6 Poisoning by other and unspecified narcotics ICD-10-CM

All Diagnosis

E850.0-E850.2 Accidental poisoning by opioids.

Behavioral Health Data – ER and IP

Rural Counties Opioid-Related Hospitalizations by ICD Group and Year, 2009-2016.



The following ICD Codes are included in these data:

Opioid Related Disorders (All Diagnosis)

304.0 Opioid type dependence ICD-9-CM

304.7 Combinations of opioid type drug with any other drug ICD-9-CM

305.5 Nondependent opioid abuse ICD-9-CM

F11 Opioid related disorders ICD-10-CM

Opiate Poisoning (Principal Diagnosis)

965.0 Poisoning by opiates and related narcotics ICD-9-CM

T40.0 Poisoning by opium ICD-10-CM

T40.1 Poisoning by heroin ICD-10-CM

T40.2 Poisoning by other opioids ICD-10-CM

T40.3 Poisoning by methadone ICD-10-CM

T40.4 Poisoning by other synthetic narcotics ICD-10-CM


T40.6 Poisoning by other and unspecified narcotics ICD-10-CM

All Diagnosis

E850.0-E850.2 Accidental poisoning by opioids.

Behavioral Health Data – Deaths

Rural Counties Opioid-Related Deaths, 2009-2016.



* Data are preliminary and are subject to changes.

Y10-Y14

Deaths with any of the following ICD-10 codes as an underlying cause of death were first selected:

40-X44 Accidental poisonings by drugs

X60-X64 Intentional self poisoning by drugs

X85 Assault by drug poisoning

Drug poisoning of underdetermined intent

The following axis (contributing causes of death) ICD-10 Codes are included in these data:

T40.0 Opium~ T40.1 Heroin

T40.2 Natural and semi-synthetic opioids T40.3 Methadone

T40.4 Synthetic opioids T40.6 Other and unspecified opioids

~Opium was included in analysis, since there have been 0 deaths related to opium it is not included in the tables and charts.


Behavioral Health Data

Opioid Dashboard, Nevada, 2011-2015.

A data tool that provides enhanced data visualization and integration of statewide and geographically-specific non-fatal and fatal opioid-involved overdose and opioid prescription data

Web Address: https://opioid.snhd.org/





Contact Information

Jen Thompson Behavioral Health Data Manager Health Program Specialist II

Office of Analytics,
Department of Health and Human Services
jlthompson@health.nv.gov- 775-684-5897

data@dhhs.nv.gov